

# CERTIFICATE OF CORRECTION


PATENT NO. : 6,917,232 B2  
APPLICATION NO. : 10/733790  
DATED : July 12, 2005  
INVENTOR(S) : Perry M. Wyatt et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, item (57), under “Abstract”, in column 2, line 1, delete “dock” and insert -- clock --, therefor.

On sheet 3 of 8, Fig. 3, delete



and


UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,917,232 B2  
APPLICATION NO. : 10/733790  
DATED : July 12, 2005  
INVENTOR(S) : Perry M. Wyatt et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

insert



therefor.

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,917,232 B2  
APPLICATION NO. : 10/733790  
DATED : July 12, 2005  
INVENTOR(S) : Perry M. Wyatt et al.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 1, line 43, before “are” delete “dock” and insert -- clock --, therefor.

In column 1, line 43, after “quadrature” delete “dock” and insert -- clock --, therefor.

In column 4, line 47, delete “390A–CLK2” and insert -- 390A=CLK2 --, therefor.

In column 6, line 19, delete “dock” and insert -- clock --, therefor.

In column 6, line 38, delete “dock” and insert -- clock --, therefor.


In column 6, line 49, delete “docked” and insert -- clocked --, therefor.

In column 7, line 52, in Claim 8, delete “dock” and insert -- clock --, therefor.

In column 8, line 26, in Claim 13, delete “dock” and insert -- clock --, therefor.

Signed and Sealed this

Fourth Day of August, 2009



JOHN DOLL  
*Acting Director of the United States Patent and Trademark Office*